PAVER INSPECTION FORM

| | | | DA | DATE OF INSPECTION: | | | |
|--|----------|-------------|-----------------|---------------------|---------|------------------------|--|
| MODEL: | | | | | INS | SPECTOR: | |
| SERIAL NUMBER: | | | | | | | |
| HOUR (METER): | | | | | 1 0 | CATION: | |
| | | | | | LU | CATION. | |
| TOTAL HOURS: | | | | | | | |
| | | | | | | | |
| INSTALLED EQUIPMENT | 8 | | | | - | | |
| SCREED MAKE | | SCREED TYPE | | | | SCREED WIDTH | |
| SCREED HEATER | P | OWER | | | | HYDRAULIC EXT | |
| VIB SCREED | | TRAC | K SIZI | E | <u></u> | TRACK CONDITION | |
| REAR TIRES | | SMOKE EVAC | | | | SLIDING STATION | |
| FRONT TIRES | FR | T WHE | EL AS | SSIST | | TRUCK HITCH | |
| AUTOMATICS | | | | | | | |
| OTHER: | - | | | | • | . | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| CONDITION € EXCELLENT (V |) VERY C | 00D | (G) | GOOI |) (| F) FAIR (P) POOR | |
| OPERATORS COMPARTMENT | E | VG | G | F | Р | NOTES | |
| STEERING WHEEL / COLUMN | | | | | | | |
| SEAT CONDITION / OPERATION | | | | | | | |
| SEAT BELT / ARMREST | | | | | | | |
| INSTRUMENT GAUGES | | | | | | | |
| BACK UP ALARM | | | | | | | |
| SLIDING STATION | | | | | | | |
| OPERATORS MANUAL | | | | | | | |
| OVERALL ASSESSMENT: | | <u> </u> | | <u>I</u> | | | |
| | | | | | | | |
| OVERALL ASSESSIVILIVI. | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| ADDITIONAL NOTES: |) VERY (| GOOD | (G) | GOOI |) (| F) FAIR (P) POOR | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V |) VERY G | GOOD VG | (G) G | GOO! | O (| F) FAIR (P) POOR NOTES | |
| ADDITIONAL NOTES: | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) PAINT / DECALS | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) PAINT / DECALS HOOD | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS/ PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) PAINT/ DECALS HOOD UNDERNEATH | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) PAINT / DECALS HOOD UNDERNEATH INSPECTION / ENGINE DOORS | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) PAINT / DECALS HOOD UNDERNEATH INSPECTION / ENGINE DOORS PLATFORM CONDITION | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) PAINT / DECALS HOOD UNDERNEATH INSPECTION / ENGINE DOORS PLATFORM CONDITION | | | · · · | | | | |
| ADDITIONAL NOTES: CONDITION € EXCELLENT (V COSMETIC / EXTERIOR LADDERS / PLATFORMS STEPS / GRAB IRON FENDERS HOOD CONDITION (OPEN/CLOSE) PAINT / DECALS HOOD UNDERNEATH INSPECTION / ENGINE DOORS PLATFORM CONDITION FRONT / REAR LIGHTS | | | · · · | | | | |

PAVER INSPECTION FORM

CONDITION (E) EXCELLENT (V) VERY GOOD (G) GOOD (F) FAIR (P) POOR STRUCTURAL Ε VG G F Ρ **NOTES** STRUCTURAL DAMAGE FRAME/ CRACK REPAIRS STEERING CYLINDER PINS SCREED LIFT CYLINDERS **HOPPERS HINGES HOPPER STRUCTURE** DRAFT ARM **OVERALL ASSESSMENT: ADDITIONAL NOTES:**

| CONDITION (E) E | XCELLENT (\ | V) VERY GOOD | (G) GOOD | (F) FAIR | (P) POOR |
|-----------------|-------------|--------------|----------|----------|----------|
|-----------------|-------------|--------------|----------|----------|----------|

| POWERTRAIN | E | VG | G | F | Р | NOTES |
|----------------------------|---|----|---|---|---|-------|
| ENGINE MAKE/ MODEL | | | | | | |
| EPI TIER | | | | | | |
| ENGINE S/N | | | | | | |
| SMOKE/ BLOW BY | | | | | | |
| ENGINE OIL LEVEL CONDITION | | | | | | |
| ENGINE OIL LEAKS | | | | | | |
| RADIATOR CAP | | | | | | |
| COOLAN T LEVEL CONDITION | | | | | | |
| BELTS/ HOSES | | | | | | |
| TURBO | | | | | | |
| EITHER | | | | | | |
| DRIVE TYPE | | | | | | |
| DRIVE OPERATION (TESTED?) | | | | | | |
| DRIVE CONTROLS/ LINKAGE | | | | | | |
| BRAKES | | | | | | |
| PARK BRAKE | | | | | | |
| OVERALL ASSESSMENT: | | | | | | |

ADDITIONAL NOTES:

CONDITION (E) EXCELLENT (V) VERY GOOD (G) GOOD (F) FAIR (P) POOR

| SCREED/ HOPPER | Ε | VG | G | F | Р | NOTES |
|-------------------------|---|----|---|---|---|-------|
| SCREED BRAND/ TYPE | | | | | | |
| SCREED STIKE-OFFS | | | | | | |
| SCREED PLATES CONDITION | | | | | | |
| SCREED CONDITION | | | | | | |
| AUGER CONDITION | | | | | | |
| HOPPER CONDITION | | | | | | |
| CONVEYOR OPERATION | | | | | | |
| FLIGHT CONDITION | | | | | | |

PAVER INSPECTION FORM

| SCREED/ HOPPER (cont.) | Е | VG | G | F | Р | NOTES |
|------------------------|---|----|---|---|---|-------|
| CHAIN CONDITION | | | | | | |
| %REMAINING/ CONDITION | | | | | | |
| OVERALL ASSESSMENT: | | | | | | |
| | | | | | | |
| ADDITIONAL NOTES: | | | | | | |
| | | | | | | |
| | | | | | | |

CONDITION (E) EXCELLENT (V) VERY GOOD (G) GOOD (F) FAIR (P) POOR

| HYDRAULICS | E | VG | G | F | Р | NOTES |
|---------------------------------|---|----|---|---|---|-------|
| OIL LEVEL | | | | | | |
| PUMP NOISE / LEAKS | | | | | | |
| LINES | | | | | | |
| TANK | | | | | | |
| VALVES | | | | | | |
| STEERING/ HMU | | | | | | |
| STEERING/ SCREED LIFT CYLINDERS | | | | | | |
| LINE/HOSE CONDITION | | | | | | |
| VIBRATORY OPERATION | | | | | | |
| DRIVE MOTOR (S) OPERATION | | | | | | |
| DRIVE CONTROL | | | | | | |
| CAB CONTROLS | | | | | | |
| TILT CYLINDERS | | | | | | |
| STEERING/ LIFT CYLINDERS | | | | | | |
| OVERALL ASSESSMENT: | | | | | | |
| ADDITIONAL NOTES: | | | | | | |

ACCEPTED INSPECTION TERMS:

Dry = No oil loss at seals Seep = Oil slowly accumulating Wet = Fresh Oil Sitting on Seal LEAK = Needs immediate repair / replacement

Tight = Joint moves as new Movement = Joint shows normal use Play = Joint will need eventual attention Loose = Joint needs immediate repair / replacement

©2012 IEDA. All Rights Reserved.

Caveats

Permission to use this form is given exclusively as a limited research tool to IEDA members for informational purposes only. IEDA makes no claim or promise, express or implied, regarding the completeness or suitability of this form. Moreover, IEDA disclaims any warranties respecting any result that may be obtained from the use of this form. Limitation of Liability:

IEDA members are hereby Noticed that under no circumstances will IEDA be liable for any loss or damage caused by your reliance on the form's content and use. It is wholly the IEDA member's responsibility to evaluate the accuracy, completeness, or usefulness of any information or any content available through use of this form.

In no event shall the IEDA be liable for any direct, incidental, special or consequential damages arising out of or relating to use of this form, whether based on warranty, contract, tort, or any other legal theory. Because some jurisdictions do not allow the exclusion or limitation of liability for negligence, consequential or incidental damages, in such jurisdictions the IEDA liability is limited to the greatest extent permitted by law.